

Scott Spark 730 (2015)



Rahmen

Spark Carbon / IMP technology / HMF /
BB92 / Alloy swingarm with 160PM
U-Mono Link / Tapered Headtube
IDS SL DM dropouts for 142x12mm
BB height adj.

Federweg

700 Series: Front 120mm
Rear 120 - 85 - Lockout / Shock 190X50
900 Series: Front 100mm
Rear 100 - 70 - Lockout / Shock 165x38

Gabel

FOX 32 Float Performance Air
FIT4 3-Modes
15mm QR axle / tapered steerer
Lockout / reb. Adj.

Dämpfer

FOX Nude / SCOTT custom w. travel / geo adj
DPS 3 modes: Lockout - Traction Control -
Descend / reb. Adj.

Remote System

SCOTT TwinLoc Remote Technology
3 modes front and rear / integ. Grip clamp

Steuersatz

Syncros Pro / Tapered 1.5" - 1 1/8"
semi integ. OD 50/61mm / ID 44/55mm

Schaltwerk

Shimano XT RD-M781 SGS / DM
Shadow Type / 20 Speed

Umwerfer

Shimano Deore FD-M618-E / DM

Schalthebel

Shimano SLX SL-M670-I
Rapidfire plus / 2 way release
Ispec clamp

Bremsen

Shimano SLX M675 Disc
200/F and 180/Rmm SM-RT64 CL Rotor

Kurbel

Shimano SLX FC-M677
Hollowtech 2
700 Series: 38x24 T / 900 Series: 36x22 T

Tretlager

Shimano BB-MT500-PA / shell 41x89.5mm

Lenker

Syncros FL1.5 T-Bar
Alloy 7050 D.B. / T shape Flat / 9° / 720mm
Syncros Pro lock-on grips

Vorbau

Syncros FL1.5
700 Series: +6° / 900 Series: -6°
7050 Alloy / 31.8mm / 1 1/8"

Sattelstütze

Syncros FL2.0 / 31.6mm

Sattel

Syncros XR2.0 / CROM rails

Vordernabe

Shimano HB-M618 CL / 15mm

Hinternabe

Shimano FH-M618 CL
142x12mm / RWS axle

Kette

KMC X10

Kassette

Shimano CS-HG50-10
11-36 T

Speichen

DT Swiss Champion Black 1.8mm

Felgen

Syncros X-21 / Eyelets / 32H

Reifen

Schwalbe Rocket Ron / 2.25
67EPI Kevlar Bead / Dual compound
Performance Series

Gewicht (ca.) KG

11.9